APPENDIX C

BEACH PROFILE DATA FOR NEARSHORE PORTION OF EACH TRANSECT


Transect SS-0003
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1997 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect SS-0005
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002


Transect SS-0015
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1997 - Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment - June 5, 2001
(Source: Noble Consultants, 2002)


Transect SS-0020
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment - June 5, 2001
(Source: Noble Consultants, 2002)


Transect SS-0025
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment - June 5, 2001
(Source: Noble Consultants, 2002)


Transect SS-0035
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect SS-0050
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect SS-0077
Profile Envelope
Spring 1997 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect SS-0090
Profile Envelope
Spring 1996 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect SS-0160
Profile Envelope
Spring 1996 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect OB-0230
Profile Envelope
Spring 1996 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect MB-0310
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect MB-0320
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect MB-0335
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment - June 5, 2001
(Source: Noble Consultants, 2002)


Transect MB-0340
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1997 - Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment - June 5, 2001
(Source: Noble Consultants, 2002)


Transect MB-0384
Profile Envelope
Spring 1997 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect PB-0408
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect LJ-0443
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1997 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect LJ-0445
Profile Envelope
Spring 1997 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect LJ-0450
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 - Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect LJ-0460
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1997 - Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect TP-0470
Profile Envelope
Spring 1997 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect TP-0520
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment – June 5, 2001
(Source: Noble Consultants, 2002)


Transect TP-0530
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1997 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment – June 5, 2001
(Source: Noble Consultants, 2002)


Transect DM-0560
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002


Transect DM-0565
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect DM-0580
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment – June 5, 2001
(Source: Noble Consultants, 2002)


Transect DM-0590
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1997 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect SD-0595
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002


Transect SD-0600
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment – June 5, 2001
(Source: Noble Consultants, 2002)


Transect SD-0610
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002


Transect SD-0620
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect SD-0625
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect SD-0630
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment – June 5, 2001
(Source: Noble Consultants, 2002)


Transect SD-0650
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect SD-0660
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect SD-0670
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment – June 5, 2001
(Source: Noble Consultants, 2002)


Transect SD-0675
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect SD-0680
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment - June 5, 2001
(Source: Noble Consultants, 2002)


Transect SD-0690
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment - June 5, 2001
(Source: Noble Consultants, 2002)


Transect SD-0695
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment - June 5, 2001
(Source: Noble Consultants, 2002)


Transect SD-0700
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect SD-0710
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment - June 5, 2001
(Source: Noble Consultants, 2002)


Transect CB-0720
Profile Envelope
Spring 1996 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment – June 5, 2001
(Source: Noble Consultants, 2002)


Transect CB-0740
Profile Envelope
Spring 1996 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect CB-0760
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment – June 5, 2001
(Source: Noble Consultants, 2002)


Transect CB-0775
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment - June 5, 2001
(Source: Noble Consultants, 2002)


Transect CB-0780
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment – June 5, 2001
(Source: Noble Consultants, 2002)


Transect CB-0800
Profile Envelope
Spring 1996 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect CB-0820
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect CB-0830
Profile Envelope
Spring 1996 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect CB-0840
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 - Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect CB-0850
Profile Envelope
Spring 1996 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect CB-0865
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment - June 5, 2001
(Source: Noble Consultants, 2002)


Transect CB-0880
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment – June 5, 2001
(Source: Noble Consultants, 2002)


Transect OS-0900
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post–Nourishment – June 5, 2001
(Source: Noble Consultants, 2002)


Transect OS-0915
Elevation (Feet, MLLW)
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment - June 5, 2001
(Source: Noble Consultants, 2002)


Transect OS-0930
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1996 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment – June 5, 2001
(Source: Noble Consultants, 2002)


Transect OS-1000
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
-5
-10
-15
-20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Profile Envelope
Spring 1997 – Spring 2001
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001
Post-Nourishment – June 5, 2001
(Source: Noble Consultants, 2002)


Transect OS-1030
Profile Envelope
Spring 1997 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001


Transect OS-1070
Profile Envelope
Spring 1997 – Spring 2001
Elevation (Feet, MLLW)
25
20
15
10
5
MSL
0
−5
−10
−15
−20
0
100
200
300
400
500
600
700
800
900
1000
1100
1200
1300
Range (Feet Seaward of Transect Origin)
Fall 2005
Spring 2005
Fall 2004
Fall 2003
Fall 2002
Fall 2001
Spring 2001